

AUTHORIZED DISTRIBUTOR FOR:


sbergant@advfiltration.com Norwalk, CA 90650 14010 Gracebee Ave (323) 540-8789

www.advfiltration.com

Steve Bergant







HILCO OEM MIST ELIMINATOR

Blower-Assisted Mist Eliminator

This model is designed for oil systems that cannot withstand back pressure or where back pressure may not be desirable. It can be installed with an airflow-restriction device to pull vacuum. It is also designed to maintain atmospheric condition in the oil system.

<image>



Mist Eliminator w/ Heat Exchanger

This model is often used where the oil can reach excessively high temperatures (200° F and above). By cooling the air stream, the oil mist becomes easier to coalesce and therefore more efficient.

Non Blower-Assisted Mist Eliminator

This model is appropriate for use where back pressure on an oil system is not a concern. It can be sized large enough to meet pressure-drop requirements. It also can be used where an existing blower is present to assist flow. Visible plume is defined as particles in the 0.3- to 0.5-micron-size range. The technically advanced, designed, and constructed HILCO® coalescing mist eliminator elements are 99. 97% efficient down to 0.3 microns and have a MERV rating of 16.



2021-2022



ADVANCED FILTRATION CONCEPTS

www.advfiltration.com sbergant@advfiltration.com

14010 Gracebee Ave., Norwalk, CA 90650 (323) 540-8789

